
18 SERIES CIRC-U-FLOW HAMMER MILL



High speed, full circle screen hammer mill



300 Degree Screen Coverage

The model 18-7-301 Circ-U-Flow is a high speed full circle screen hammer mill, ideal for pilot scale or full industrial processing of a wide variety of products. The nearly full circle screen coverage of the rotor translates to a large open area and thus the highest possible production rates on materials that do

not require initial grinding against a breaker plate. Optional fully integrated pneumatic evacuation system substantially increases throughput and keeps your work environment clean and

dust free. The Model 18-7-301 is ideal for processing herbs, spices, roots, wood shavings, and a wide variety of agricultural products to the exact desired finished particle size.

Applications

- Alfalfa
- Barley
- Corn
- Planer shavings
- Rye
- Sawdust
- Sorghum
- Soybeans
- Straw
- Wheat
- Spices

End Products/Uses

- Agricultural products
- Animal feed
- Boiler fuel
- Cellulosic Ethanol
- Herbs and Spices
- Pellets and Briquettes
- Sizing for packaging




Technical Specifications

Model	Housing	Shaft Diameter	Rotor Width	Rotor Diameter	Bearing Size	Power Range	Screen Area	Tip Speed
18-7-301	½" (6 mm)	1 %" (50 mm)	7" (180 mm)	18" (460 mm)	2 ³ / ₁₆ " (60 mm)	10 - 30 hp (7-20 kW)	385 Sq In (2480 sq cm)	16,900

Key Features:

- Pilot scale, 7" (180 mm) width
- 10-30 hp motor
- High speed (3600 RPM), 18" (460 mm) diameter rotor allows for high tip speed
- Hinged door with built-in screen support for easy access, cleaning and maintenance
- Custom built feed chute, discharge chute, and support stand designed to meet your specific feeding and collecting needs





Backed by the Schutte Hammermill Reputation



