

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

EXECUTIVE SUMMARY

Modern manufacturing depends on a steady supply of raw materials, yet industrial operations also generate substantial quantities of scrap, byproducts, and end-of-life materials. Recovering value from these resources presents an opportunity to reduce waste, improve material utilization, and support a more circular approach to production.

A circular economy seeks to keep materials and resources in productive use for as long as possible. Achieving this goal requires more than collecting recyclable materials. It requires effective processes for preparing, separating, and recovering materials so they can be reused, recycled, or directed toward another productive application.

Industrial size reduction is an important part of this process. Through shredding, grinding, and related processing methods, materials can be reduced to sizes that facilitate handling, separation, and downstream recovery. The appropriate equipment and processing strategy depends on the material, the desired output, and the requirements of the next stage of processing.

This white paper examines the relationship between industrial size reduction and the circular economy, explores key recycling applications, and outlines the factors manufacturers and recyclers should

consider when developing an effective material recovery process.

TABLE OF CONTENTS

1. [UNDERSTANDING THE CIRCULAR ECONOMY](#)
2. [WHY INDUSTRIAL SIZE REDUCTION MATTERS](#)
3. [INDUSTRIAL RECYCLING APPLICATIONS](#)
4. [SELECTING THE RIGHT SIZE REDUCTION PROCESS](#)
5. [BALANCING RECOVERY OBJECTIVES AND OPERATING REQUIREMENTS](#)
6. [THE IMPORTANCE OF APPLICATION-SPECIFIC ENGINEERING](#)
7. [MOVING TOWARD MORE EFFECTIVE MATERIAL RECOVERY](#)
8. [CONCLUSION: ENGINEERING THE NEXT STEP IN MATERIAL RECOVERY](#)

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

1. UNDERSTANDING THE CIRCULAR ECONOMY

Traditional linear production follows a relatively straightforward model: extract raw materials, manufacture products, use them, and discard them when they reach the end of their useful life.

A circular economy takes a different approach. It emphasizes keeping products and materials in use, recovering value from waste streams, and reducing the need to rely exclusively on newly extracted resources.

This approach can involve several strategies:

- Extending product life through maintenance, repair, and reuse.
- Recovering components for refurbishment or secondary use.
- Recycling materials into feedstock for new manufacturing processes.
- Converting suitable residual materials into useful industrial inputs.
- Improving production processes to reduce avoidable waste.

Not every material can be reused indefinitely, and not every waste stream can be recovered economically. Material composition, contamination, processing requirements, and available end markets all influence what is practical.

Nevertheless, industrial recycling provides an important mechanism for returning suitable materials to productive use.

The role of processing infrastructure

Collection is only the beginning of recycling. Once materials reach a processing facility, they must be prepared for whatever recovery pathway follows.

Depending on the material, this may involve sorting, shredding, grinding, screening, separation, or other operations. Each step helps establish the physical characteristics needed for subsequent handling or recovery.

When materials arrive in large, irregular, mixed, or otherwise difficult-to-process forms, size reduction can be a critical part of preparing them for the next stage.

2. WHY INDUSTRIAL SIZE REDUCTION MATTERS

Industrial size reduction uses mechanical force to reduce materials into smaller particles or pieces. The process may involve impact, cutting, shearing, or a combination of mechanisms, depending on the equipment and application.

In recycling operations, the objective is not simply to make material smaller. It is to achieve a useful output that supports the next step in the recovery process.

IMPROVING MATERIAL HANDLING

Large or bulky materials can be difficult to convey, store, meter, and process consistently. Reducing their size can make them more manageable within an industrial facility.

The benefits depend on the material and the process design, but a suitable size

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

reduction stage may help establish a more consistent feed for downstream equipment.

PREPARING MATERIALS FOR SEPARATION

Many recycling processes depend on separating different materials from a mixed feedstock.

Size reduction can help expose components, liberate certain materials from larger assemblies, or prepare feedstock for subsequent separation technologies. The desired degree of liberation and the capabilities of downstream equipment must be considered when selecting a processing approach.

ESTABLISHING THE REQUIRED PARTICLE SIZE

The target output varies considerably across recycling applications.

Some processes require coarse material for handling or further shredding. Others require a finer, more controlled particle size to support separation, reuse, or manufacturing.

The appropriate particle size should be established by working backward from the intended end use. Grinding material more finely than necessary can add processing demands without necessarily improving recovery.

SUPPORTING PROCESS INTEGRATION

Size reduction is one component of a broader material processing system.

Feeding, conveying, screening, separation, and collection all influence overall performance.

An effective system accounts for these connected stages rather than evaluating the mill or shredder in isolation.

3. INDUSTRIAL RECYCLING APPLICATIONS

The role of size reduction varies by material stream. Three areas illustrate how industrial processing can help prepare discarded materials for recovery.

ELECTRONIC SCRAP AND DATA DESTRUCTION

Electronic waste contains a mixture of materials, including metals, plastics, circuit boards, and other components. The composition varies by device and product category, making electronic scrap a particularly complex recycling stream.

Processing systems must account for both the physical characteristics of the incoming material and the intended recovery objectives.

Size reduction can help prepare electronic scrap for downstream separation and material recovery. In appropriate system configurations, multiple stages may be used to process bulky components and achieve a more controlled final output.

Data-bearing devices introduce an additional consideration: information security.

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

Hard drives and other storage media may require a dedicated destruction process to meet an organization's data security requirements. The necessary destruction standard depends on the media type, applicable policies, and required verification procedures.

For these applications, equipment selection should consider both the physical processing requirements and the intended destruction outcome. A smaller particle size alone should not be treated as proof of compliance with a particular data sanitization or destruction standard.

Key consideration: Define the required material recovery objectives and any applicable data destruction requirements before specifying the equipment.

WOOD WASTE AND BIOMASS

Wood-processing operations generate a variety of residual materials, including offcuts, sawdust, bark, scrap lumber, and other byproducts. Depending on their condition and composition, these materials may be suitable for recycling, reuse, biomass fuel preparation, or other applications.

Size reduction helps prepare wood materials for their intended next use. Some applications require relatively coarse particles, while others call for a finer grind to meet downstream processing requirements.

Wood waste processing must account for differences in feedstock. Clean lumber, bark, pallets, and mixed wood residues can behave differently during grinding. Moisture content, contamination, incoming particle

size, and the desired final specification can all affect equipment selection.

For biomass and wood pellet production, particle size is one element of feedstock preparation. Moisture management, material composition, and the requirements of the pelletizing process also influence the final result.

Key consideration: Select the grinding configuration based on the intended end use, the incoming wood material, and the particle-size requirements of the downstream process.

INDUSTRIAL WASTE AND MANUFACTURING BYPRODUCTS

Manufacturing operations generate many forms of residual material, from production scrap to off-specification products and process byproducts. Some can be returned to the production process, while others may be suitable for secondary markets or specialized recovery operations.

The first challenge is determining what the waste stream contains and whether its materials can be recovered safely and economically.

Size reduction may be used to prepare suitable materials for additional processing, reduce the size of bulky items, or establish a more manageable feed for downstream equipment.

However, industrial waste streams can vary significantly. Material hardness, abrasiveness, moisture, contamination, and

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

the presence of mixed components all affect the processing strategy.

Where multiple materials are present, testing and process evaluation can help establish whether a particular size reduction approach will produce a useful output.

Key consideration: Characterize the waste stream and identify a realistic recovery pathway before determining the required processing equipment.

4. SELECTING THE RIGHT SIZE REDUCTION PROCESS

Successful material recovery starts with a clear understanding of the material and the desired outcome. Equipment selection should follow from these requirements rather than from a general preference for a particular mill or shredder.

Step 1: Characterize the incoming material

Begin by identifying the composition, physical dimensions, hardness, moisture content, abrasiveness, and variability of the feedstock.

Determine whether the material is uniform or mixed, and identify any contaminants or handling considerations that could affect processing.

For difficult or variable materials, representative sample testing can help establish how the feedstock behaves under different operating conditions.

Step 2: Define the required output

Establish the target particle size, acceptable particle-size distribution, and any requirements for material liberation or separation.

The final specification should reflect the needs of the next processing stage or the intended end use.

For example, material prepared for biomass fuel may have different requirements from electronic scrap intended for metal recovery. The same equipment configuration should not be assumed to deliver equally suitable results for both.

Step 3: Establish throughput requirements

Determine the amount of material that must be processed over a defined period and under what operating conditions.

Required throughput should be evaluated alongside the target particle size and characteristics of the incoming feed. A capacity estimate without these details may not accurately represent real operating performance.

Consider expected feed variability, operating schedules, and whether the system must accommodate changes in material type or production demand.

Step 4: Determine the appropriate processing stages

Some applications can achieve the required output in a single size reduction stage. Others benefit from a combination of

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

shredding and grinding, with each stage performing a specific function.

A multistage process may be appropriate when incoming material is bulky or when the final specification requires a substantial reduction in size.

The decision should account for the complete process, including any screening, separation, or recirculation steps required to achieve the desired output.

Step 5: Evaluate the complete system

The mill or shredder is only one part of the operation. Feeding equipment, conveyors, screening systems, dust collection, material storage, and downstream processing can all affect system performance.

A properly integrated system helps ensure that the equipment operates within the requirements of the larger process.

Maintenance access, wear component requirements, available floor space, and existing plant infrastructure should also be considered during planning.

5. BALANCING RECOVERY OBJECTIVES AND OPERATING REQUIREMENTS

Material recovery projects must balance technical feasibility with operational and economic realities.

A process that produces the desired particle size may still be unsuitable if it requires excessive handling, creates an impractical material stream, or fails to meet downstream specifications.

Several considerations deserve particular attention.

Particle size versus throughput. Finer grinding can require additional energy or processing time. The appropriate target is the particle size needed for the intended application, not necessarily the finest output achievable.

Material liberation versus overprocessing. Some applications require sufficient size reduction to expose or separate valuable components. Excessive reduction may create additional fines or complicate downstream handling. The ideal balance depends on the material and separation technology.

Feed variability versus consistent output. Incoming materials often vary in size, moisture, composition, or condition. Equipment and process settings should account for realistic variations rather than relying solely on ideal feed conditions.

Equipment performance versus system performance. A mill can meet its individual specifications and still be limited by inadequate feeding, conveying, or downstream processing capacity. The complete material flow should be evaluated.

Recovery potential versus practical end markets. Processing creates an opportunity for recovery, but the resulting material must still meet the specifications and commercial requirements of its intended destination.

These trade-offs reinforce the importance of defining the recovery objective before selecting the equipment.

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

6. THE IMPORTANCE OF APPLICATION-SPECIFIC ENGINEERING

There is no universal size reduction solution for industrial recycling. Different materials demand different approaches, and equipment selection should reflect the realities of each application.

Application-specific engineering begins with questions about the material, the target output, and the process in which the equipment will operate.

What is the incoming material? How much must be processed? What particle size is required? Does the material need to be prepared for separation, reuse, or another manufacturing process? What constraints exist around space, maintenance, and material handling?

Answering these questions provides a foundation for evaluating suitable equipment configurations.

Where practical, material testing can help validate assumptions and inform equipment selection. Testing may reveal differences in achievable particle size, throughput, or processing behavior that are not apparent from a material description alone.

It is also important to evaluate the equipment's role within the complete system. The best solution is one that meets the application's requirements while supporting the performance of the overall process.

7. MOVING TOWARD MORE EFFECTIVE MATERIAL RECOVERY

A circular economy depends on the ability to keep suitable materials in productive use. Industrial recycling, in turn, depends on practical processes that transform collected materials into outputs that can be recovered, reused, or further processed.

Size reduction supports this effort by helping prepare materials for handling, separation, and downstream manufacturing. Its contribution is especially important when materials arrive in bulky, irregular, or otherwise difficult-to-process forms.

But successful recovery requires more than a machine that makes material smaller. It requires an understanding of the feedstock, a defined output specification, an appropriate processing strategy, and equipment that integrates with the rest of the operation.

For manufacturers and recyclers evaluating new recovery opportunities, starting with these fundamentals can help identify a practical path from waste stream to usable resource.

CONCLUSION: ENGINEERING THE NEXT STEP IN MATERIAL RECOVERY

The circular economy presents an important opportunity to rethink how industrial materials are managed at the end of a product's useful life and throughout manufacturing operations.

Industrial size reduction is one of the tools that makes material recovery possible. When properly matched to the application, shredding and grinding equipment can help prepare challenging materials for

RECYCLING FOR A CIRCULAR ECONOMY

THE ROLE OF INDUSTRIAL SIZE REDUCTION IN MATERIAL RECOVERY AND RESOURCE REUSE

subsequent separation, reuse, and recycling.

Schutte Hammermill has a long history of designing size reduction equipment for industrial applications, including wood processing, electronic scrap, and other recycling operations. Our approach begins with the material and the requirements of the process, helping customers evaluate equipment configurations suited to their specific objectives.

HAVE A MATERIAL RECOVERY CHALLENGE?

Contact Schutte Hammermill to discuss your feedstock, target particle size, throughput requirements, and downstream processing goals.

Visit [hammermills.com](https://www.hammermills.com) to learn more about industrial size reduction and recycling applications.